

| | 18-64 years of age | 65+ years of age |
|-------------------------|--------------------|------------------|
| Arthritis | 9 (2.7%) | 11 (4.7%) |
| Autoimmune Disease | 5 (1.5%) | 7 (3.0%) |
| Bone Disease | 8 (2.4%) | 11 (4.7%) |
| Cardiovascular Disease | 38 (11%) | 52 (22%) |
| Pulmonary Disease | 8 (2.4%) | 7 (3.0%) |
| Kidney Abnormalities | 6 (1.8%) | 11 (4.7%) |
| Diabetes | 12 (3.6%) | 20 (8.6%) |
| Eye/Visual Problem | 49 (15%) | 31 (13%) |
| GI Problem | 43 (13%) | 31 (13%) |
| HTN | 36 (11%) | 63 (27%) |
| Lipid Metabolism | 24 (7.2%) | 31 (13%) |
| Mood | 24 (7.2%) | 17 (7.3%) |
| Anxiety Disorders | 22 (6.6%) | 5 (2.1%) |
| Depression, Stress, etc | 51 (15%) | 24 (10%) |
| Other Cancer Diagnosis | 22 (6.6%) | 34 (15%) |
| Seizure | 114 (34%) | 37 (16%) |
| Seizure (Epilepsy) | 49 (15%) | 13 (5.6%) |
| Seizure (Non-epilepsy) | 80 (24%) | 27 (12%) |
| Thyroid Abnormalities | 15 (4.5%) | 26 (11%) |
| Headache | 22 (6.6%) | 6 (2.6%) |
| Fatigue | 34 (10%) | 21 (9.0%) |
| Alcohol Use | 2 (0.6%) | 2 (0.9%) |
| DVT/PE | 43 (13%) | 30 (13%) |
| Movement Problem | 92 (28%) | 48 (21%) |
| Hemiparesis | 50 (15%) | 17 (7.3%) |
| Plegia | 2 (0.6%) | 3 (1.3%) |
| Gait and Balance | 32 (9.6%) | 20 (8.6%) |
| Weakness | 28 (8.4%) | 9 (3.9%) |

| | | |
|--|-----------|-----------|
| Sleep Disturbance | 29 (8.7%) | 16 (6.9%) |
| Neurocognitive Manifestations | 40 (12%) | 22 (9.4%) |
| Cognitive Impairment Unspecified | 14 (4.2%) | 9 (3.9%) |
| Confusion/AMS | 12 (3.6%) | 9 (3.9%) |
| Memory Loss Specified | 12 (3.6%) | 7 (3.0%) |
| Memory loss specified + Cognitive Impairment Unspecified | 24 (7.2%) | 15 (6.4%) |
| Vocal Communication Problem | 45 (14%) | 22 (9.4%) |
| Incontinence | 4 (1.2%) | 4 (1.7%) |