

Table 2: Relative risk of death from leukemias in towns situated at a distance of less than 5 kilometers from metal installations, estimated using Poisson mixed regression models.

	METAL (ALL) INSTALLATIONS				Pre-1990 INSTALLATIONS				Pre-1990 INSTALLATIONS							
	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI	AIR				WATER ONLY			
	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI	Obs <sup>a</sup>	Exp <sup>b</sup>	RR	95%CI
Total	5531	5253.5	1.06	1.02-1.10	5250	4966.3	1.07	1.03-1.11	2922	2776.3	1.09	1.03-1.14	2328	2190.0	1.05	1.00-1.11
Men	3057	2869.8	1.06	1.01-1.12	2911	2714.3	1.07	1.02-1.13	1617	1509.5	1.09	1.02-1.16	1294	1204.8	1.06	0.99-1.13
Women	2474	2383.7	1.05	1.00-1.11	2339	2252.0	1.05	1.00-1.11	1305	1266.8	1.06	0.99-1.13	1034	985.2	1.05	0.97-1.12

<sup>a</sup>Observed cases

<sup>b</sup>Expected cases