

|  |    |
|--|----|
| <b>Supplementary Material to:</b>  | 1  |
| <b>Exposure to bisphenol A in European women from 2007 to 2014 using</b>                                   | 2  |
| <b>human biomonitoring data – The European Joint Programme HBM4EU</b>                                      | 3  |
| <b>Romuald Tagne-Fotso, Margaux Riou, Abdessattar Saoudi, Abdelkrim Zeghnoun, Hanne Frederiksen,</b>       | 4  |
| <b>Tamar Berman, Parisa Montazeri, Anna-Maria Andersson, Laura Rodriguez-Martin, Agneta Akesson,</b>       | 5  |
| <b>Marika Berglund, Pierre Biot, Argelia Castaño, Marie-Aline Charles, Emmanuelle Cocco, Elly Den</b>      | 6  |
| <b>Hond, Marie-Christine Dewolf, Marta Esteban-Lopez, Liese Gilles, Eva Govarts, Cedric Guignard, Arno</b> | 7  |
| <b>C. Gutleb, Christina Hartmann, Tina Kold Jensen, Gudrun Koppen, Tina Kosjek, Nathalie Lambrechts,</b>   | 8  |
| <b>Rosemary McEachan, Amrit K. Sakhi, Janja Snoj Tratnik, Maria Uhl, Jose Urquiza, Marina Vafeiadi, An</b> | 9  |
| <b>Van Nieuwenhuyse, Martine Vrijheid, Till Weber, Cécile Zaros, Elena Tarroja-Aulina, Lisbeth E.</b>      | 10 |
| <b>Knudsen, Adrian Covaci, Robert Barouki, Marike Kolossa-Gehring, Greet Schoeters, Sebastien Denys,</b>   | 11 |
| <b>Clemence Fillol, and Loïc Rambaud</b>   | 12 |

|   |          |
|---|----------|
| <b>Table of contents</b>  | 13       |
| <b>Supplementary Material S1: HBM4EU BPA Study protocol.</b>  | 14       |
| <b>Table S1.</b> List of principal and accompanying variables for the characterization of BPA exposure levels among European women and for identifying key determinants of BPA exposure levels. | 15<br>16 |
| <b>Supplementary Material S2:</b> Detailed description of contributing studies.   | 17       |
| <b>Supplementary Material S3:</b> List and characteristics of the main harmonized variables.  | 18       |
| <b>Table S2.</b> List and characteristics of the main harmonized variables collected for the BPA Study (this study).  | 19<br>20 |
| <b>Supplementary Material S4:</b> Distribution of total urine BPA based on sociodemographic characteristics and sampling year.  | 21<br>22 |
| <b>Figure S1.</b> Distribution of total urine BPA depending on age category.  | 23       |
| <b>Figure S2.</b> Distribution of total urine BPA depending on BMI category.  | 24       |
| <b>Figure S3.</b> Distribution of total urine BPA depending on education (ISCED).   | 25       |
| <b>Figure S4.</b> Distribution of total urine BPA depending on passive smoking status.  | 26       |
| <b>Figure S5.</b> Distribution of total urine BPA depending on smoking status.  | 27       |
| <b>Figure S6.</b> Distribution of total urine BPA depending on smoking habit.   | 28       |
| <b>Figure S7.</b> Distribution of total urine BPA depending on sampling year.   | 29       |
| <b>Supplementary Material S5:</b> Exploring determinants of BPA exposure from the combined population.  | 30       |
| <b>Figure S8.</b> Overview of variables eligible for regression analysis to investigate determinants of BPA levels based on data availability from contributing studies.                        | 31<br>32 |
| <b>Table S3.</b> Variation of total urine BPA concentrations in µg/L by analytical parameters and sociodemographic characteristics (bivariate linear mixed regressions).                        | 33<br>34 |